


# Technical data sheet

## Device connection lid for Telitank mounting

Item number: 7404964



Mounting lid for AIK/U trunking base for Telitank set-up. The trunking lid is screwed tight to the AI side profiles of the trunking base. The lid slope extends beyond the trunking base at a 45° angle.



**St** Steel

**FS** Strip galvanized

### Master data

Item number	7404964
Type	AIKF DAT 25040
Description 1	Device connection lid
Description 2	for Telitank mounting
Manufacturer	OBO
Material	Steel
Surface	Strip galvanized
Surface standard	DIN EN 10346
Smallest sales unit	1
Unit of quantity	Piece
Weight	550 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to-Gate	13,8695 kg CO2e / 1 Piece


# Technical data sheet

## Device connection lid for Telitank mounting

Item number: 7404964



### Dimensions



Length	800 mm
Width	250 mm
Height	40 mm
Dimension b	287 mm
Dimension h	37 mm

# Technical data sheet

Device connection lid for Telitank mounting

Item number: 7404964



## Technical data

Number of mounting openings	1
Version for	Cover sloping on one side
Function	Standard
With connection opening	no
With overhang	yes
Mounting opening	Square