Technical data sheet

Rising vertical bend for PYROLINE® Con S BSKH09-K0506 fire protection duct

Item number: 7215650





Rising vertical bend for PYROLINE® Con S fire protection duct, type BSKH09-K0506, consisting of fibreglass lightweight concrete which is resistant to water and frost for the creation of vertical changes of direction (45°) of the duct. Mounted connectors ensure quick mounting in situ, whilst loosely placed covers ensure quick inspection and reassignment.

Including connection screws and sealing strips. Including connection screws and sealing strips.











Fibreglass lightweight concrete

B.A		4		-4	_
IVI	as	ter	II 0	ат	а

Item number	7215650	
Type	BSKH09-VS0506	
Description 1	Vertical bend rising	
Description 2	for BSKH09-K0506	
Manufacturer	OBO	
Dimension	50x60	
Colour	Grey	
Material	Fibreglass lightweight concrete	
Smallest sales unit	1	
Unit of quantity	Piece	
Weight	548 kg	
Weight unit	kg/100 pc.	

Technical data sheet

Rising vertical bend for PYROLINE® Con S BSKH09-K0506 fire protection duct Item number: 7215650



Dimensions External dimensions 188 x 140 Internal dimensions 60 x 50 Width 188 mm Dimension B 188 mm Dimension b 60 mm 60_ 204 Dimension h 50 mm 188 Dimension H 140 mm 204 mm Dimension L

Technical data		
	Number of flammable sides	4
	Cover fastening	Loose
	Fire resistance class E – function maintenance	30
	Fire resistance class I – installation duct	90
	With perforation	no
	Partitions possible	yes
	Jacketing	Without
	Material of the insulation	Glass-fibre lightweight concrete
	Angle of the bend	45 °