

Technical data sheet

Drilling template for trunking with brush bar

Item number: 7403883



Drilling template for the construction-side creation of perforation holes. With the template the following holes can be marked.

- Connector perforation for joint connectors
- Fastening holes for end pieces
- Mounting holes for support elements
- Fastening holes for locking elements in the cover



St	Steel
FS	Strip galvanized

Master data

Item number	7403883
Type	OKB BS BL
Description 1	Drilling template
Description 2	for trunking with brush bar
Manufacturer	OBO
Material	Steel
Surface	Strip galvanized
Surface standard	DIN EN 10346
Smallest sales unit	1
Unit of quantity	Piece
Weight	97.1 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to-Gate	2,9582 kg CO2e / 1 Piece


Technical data sheet

Drilling template for trunking with brush bar

Item number: 7403883



Dimensions



Technical data

Mounting opening cover	no
Type of accessory	Miscellaneous
Floor plate	yes
Floor care	Dry
Cover fastening, locking	no
Seal installation option	no
Decouplable	yes
Suitable for expansion joint	no
Suitable for screed-flush closed underfloor ducts	no
Suitable for flushfloor, open underfloor trunking	yes
Suitable for screed-covered underfloor ducts	no
Minimum screed height	85
With connection opening	no
With equipotential bonding	no
With overhang	yes
Height-adjustment range, min.	0 mm
Removable cover	yes