Technical data sheet

Spreading pliers for sealing insert, splittable cable gland



Item number: 2024900



The ideal aiding tool is the pair of spreading pliers which can be used to open the sealing insert. With this tool, inserting the individual cables is quick and easy.

Place the cable in the spreading pliers, insert the spreading pliers into the sealing separation and then open them. Now the cable can easily be placed into the seal.

The gland set consists of an intermediate support, a cap nut and the seal. Of course, the split locknut is also in the scope of delivery.

M25

Master data

Item number	2024900
Туре	V-TEC TBZ
Description 1	Spreading pliers
Description 2	for V-TEC TB
Manufacturer	OBO
Dimension	M25
Smallest sales unit	1
Unit of quantity	Piece
Weight	26 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to- Gate	0,0307 kg CO2e / 1 Piece

Technical data sheet

Spreading pliers for sealing insert, splittable cable gland



Item number: 2024900

Dimensions Length 215 mm Technical data Type of seal Sealing ring

Type of seal	Sealing ring
Version for	Straight
Bend protection	no
explosion-proof	no
Flat cable gland	no
Flame-resistant	acc. to VDE 0471/DIN 695 Part 2-1, test temperature 650°C
For Ex zone	Without
For Ex zone gas	Without
For Ex zone dust	Without
Thread type	Metric
Thread increase	1.5 mm
Fibre-glass reinforced	no
Sealing insert, multiple	no
With locknut	yes
Protection rating	IP67
Splittable gland	yes
Permitted temperature range, max.	80 °C
Permitted temperature range, min.	-20 °C
Strain relief option	no